

## SIKKERHEDS PLC, NØDSTOP, TRE TRYKKNAPPER

Safety Simplifier fra SSP

SP-N-89-140-03  
 Safety Simplifier, 14 I/O, 2NO, CAN. forberedt med nødstop og 3 knapper. Till en enhed medfølger der to forskruninger.

- 14 I/O som sikre ind- eller udgange
- 2 x dobbelte relæudgange
- Sikker trådløs kommunikation
- Forberedt med tryk



### PRODUKTBESKRIVELSE

### SPECIFIKATIONER

<b>Anbefalet sikring</b>	2,5 A
<b>Communication</b>	CAN-Bus, Radio
<b>IP-klasse</b>	IP65
<b>Load Output Max</b>	600 mA
<b>Materiale hus</b>	UL-certificeret materiale, PC + ABS (brandsikker), ANSI/UL 94
<b>Max load in total</b>	2000 mA
<b>Spændingstolerance</b>	10-30V DC
<b>Temperaturområde fra</b>	-20 °C
<b>Temperaturområde til</b>	65 °C
<b>Vægt</b>	0,235 kg

### EC Type-Examination Certificate

Reg.-No.: 01/205/5692/00/18

<b>Product tested</b>	Safety PLC unit with radio transmitter	<b>Certificate holder</b>	SSP/PS Safety System Produkte Neue AB Tullbornsgränd 14 428 31 Onsala Sweden
<b>Type designation</b>	Safety Simplifier Sany22 xx = 00-18, 20-23, 40-43 yy = 1-12, R10, CA zz = 00, 01, 02, 03, 04		
<b>Codes and standards</b>	ISO 13849-1:2015 IEC 61508 Parts 1-7:2010	IEC 61000-6-7:2014	
<b>Intended application</b>	The Safety Simplifier complies with the requirements of Cat. 4 (PL) e acc. to ISO 13849-1, SL 3 acc. to IEC 61508 and can be used in applications up to PL <sub>r</sub> e and SIL 3.		
<b>Specific requirements</b>	The instructions of the associated Installation, Operating and Safety Manual shall be considered.		

It is confirmed that the product tested complies with the requirements for machines defined in Annex I of the EC Directive 2006/42/EC.  
Valid until 2025-11-19

The issue of this certificate is based upon an inspection whose results are documented in Report No. 3638/SP/17/03/018 dated 2018-07-02.  
This certificate is valid only for products which are identical to the product tested.

www.ssi-products.com  
www.siv.com

**TÜVRheinland**  
Precision Right.



